



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

1 of 7

Lil Ripper THC-A Watermelon Slushy

Sample ID: SA-240918-48848

Batch: LRTHCA002

Type: Finished Product - Inhalable

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 09/20/2024

Completed: 12/11/2024



Summary

Test	Date Tested	Status
Cannabinoids	10/01/2024	Tested
Vitamin E Acetate	12/11/2024	Tested
Heavy Metals	11/21/2024	Tested
Microbials	11/20/2024	Tested
Mycotoxins	12/04/2024	Tested
Pesticides	12/04/2024	Tested
Residual Solvents	12/04/2024	Tested

0.0820 %	52.4 %	95.8 %	Not Tested	Not Tested	Yes
$\Delta 9$ -THC	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	0.0411	0.411
CBT	0.018	0.054	ND	ND
$\Delta 8$ -THC	0.0104	0.0312	ND	ND
$\Delta 9$ -THC	0.0076	0.0227	0.0820	0.820
$\Delta 9$ -THCA	0.0084	0.0251	21.7	217
$\Delta 9$ -THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	52.4	524
(6aR,9S,10aR)-HHC	0.0067	0.02	21.6	216
Total $\Delta 9$ -THC			19.1	191
Total			95.8	958

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total $\Delta 9$ -THC = $\Delta 9$ -THCA * 0.877 + $\Delta 9$ -THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone
CCO
Date: 12/11/2024

Tested By: Scott Caudill
Laboratory Manager
Date: 10/01/2024



ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.